



## Cold Filter Plugging Point CFPP



ASTM D6371  
DIN 51428  
EN 116  
IP 309  
JIS K 2288

### Cold Filter Plugging Point of diesel and heating fuels

Determination of the Cold Filter Plugging Point (CFPP) temperature of diesel and domestic heating fuels by measuring the temperature at which the sample ceases to flow through a wire mesh filter.

### Art. LT/CF-254000/M

#### Cold Filter Plugging Point - CFPP

- 31 x 125 mm test tube with a set of neoprene gasket
- 3-hole with Teflon cap
- Jacket Ø 46 mm
- 20 ml Pyrex pipette
- Wire filter equipped with filtering disc 325 M
- U-shaped glass pressure gauge
- 3-way cock
- Junction glass tubes
- Cap, bottle

#### Accessories

- LT/RB-54000/M: Cold Filter Plugging Point refrigerator up to -69°C
- LAB-2460-250: vacuum pump
- LAB-100-332: digital stopwatch
- T-AS5C: thermometer ASTM 5C IP 1C
- T-AS6C: thermometer ASTM 6C IP 2C

#### Spare Parts

- LAB-200/008-04: CFPP calibrated glass cell
- LAB-200/008-13: calibrated aspiration pipette CFPP
- LAB-200/013-01: filter assembly
- LAB-200/013-02: filter